Page 1 of 9 (USA - EN)



IRG27 (Arsensulfid amorph)

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

1. Identification

Product identifier

IRG27 (Arsensulfid amorph) CAS No:

92128-37-5

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Glass. Reserved for industrial and professional use. Post-processing by means of single diamond turning not without scrubber and conventional cold post-processing not without liquid coolant to absorb the resulting grinding dust.

Uses advised against

Do not use for private purposes (household).

Details of the supplier of the safety data sheet

Company name:	SCHOTT AG	
Street:	Hattenbergstr. 10	
Place:	D-55122 Mainz	
Telephone:	+49 (0)6131 / 66 0	Telefax:+49 (0)6131 / 66 20 00
Contact person:	Dr. Kristian Eichgrün	
e-mail:	ehs-compliance.ao@schott.com	
Internet:	www.schott.com	
Responsible Department:	Qualitätsmanagement Advanced Optics	
	Telephone: +49 (0)61 31 / 66 21 55	
	Telefax: +49 (0)36 41 / 28 88 90 54	
mergency phone number:	+49 61 31 / 66 2393 (Mo - Fr, 7 - 16 Uhr; ME	Z; UTC+01)

Emergency phone number:

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Acute toxicity: Acute Tox. 4 (inhalation) Carcinogenicity: Carc. 1A

Classification procedure: Data obtained by expert judgement.; Calculation method.

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Hazard statements

Harmful if inhaled May cause cancer

Precautionary statements

Obtain special instructions before use. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.



Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If exposed or concerned: Call a poison center/doctor. Store locked up. Dispose of waste according to applicable legislation.

Hazards not otherwise classified

In case of inhalation (particulates and dust): Irritation to respiratory tract. A repeated, excessive dust exposure can cause pneumoconiosis.

3. Composition/information on ingredients

Substances

Chemical characterization

Glass, nonoxide, chemicals CAS No.: 92128-37-5 EC No.: 295-731-7

As the substance glass is not included in the candidate list of substances of very high concern, currently there are no information duties according to article 33 of REACH. However for the production of glass we may use substances, which are on the candidate list and had been included in Annex XIV of the REACH regulation or could be included in future. These powdery substances are not present as such in the final glass; they are fully integrated into the glass matrix through the melting process. Thus they lose their original characteristics. With unintended use, some of these substances may be released from the matrix and become bioavailable.

The following substances can be extracted and are bioavailable:

Hazardous components

CAS No	Components	Quantity
1327-53-3	diarsenic trioxide; arsenic trioxide	0,00025-2,1 %

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

particulates and dust: In case of skin reactions, consult a physician.

After contact with eyes

particulates and dust: Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

particulates and dust: Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

No known symptoms to date.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Specific hazards arising from the chemical

The product itself does not burn. In case of fire may be liberated: Metal oxide smoke, toxic

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Store in a dry place.

Hints on joint storage

Do not store together with: Strong acid, hydrofluoric acid, phosphoric and phosphorous acid, Alkali (lye), concentrated

Further information on storage conditions

Protect from moisture.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
-	Arsenic inorganic compounds, as As		0.01		TWA (8 h)	ACGIH-2018
7440-38-2	Arsenic, inorganic compounds (as As)	-	0.01		TWA (8 h)	PEL

Page 4 of 9 (USA - EN)



IRG27 (Arsensulfid amorph)

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Disposal of contaminated protective clothing separately, do not reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves. (cut-resistant)

Skin protection

Wear suitable protective clothing. Disposal of contaminated protective clothing separately, do not reuse.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Color: Odor:	solid colorless / coloured odorless		
			Test method
pH-Value:		6,3 (on solid)	OECD 122
Changes in the physical state Initial boiling point and boiling range: glass transition temperature:		not determined 200 °C	ISO 7884-8
Flash point:		not applicable	
Flammability Solid: Gas:		not applicable not applicable	
Explosive properties The product is not: Explosive.			
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Ignition temperature:		not applicable	
Auto-ignition temperature Solid: Gas:		not applicable not applicable	

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Decomposition temperature:	365 °C	
Oxidizing properties Not oxidising.		
Vapor pressure:	up to Tg no significant vapor pressure is to be expected	
Density (at 20 °C):	3,20 g/cm ³	
Water solubility:	Immiscible	
Solubility in other solvents Not oxidising.		
Partition coefficient:	The substance is not soluble in water.	
Viscosity / dynamic:	not applicable (solid)	
Viscosity / kinematic:	not applicable (solid)	
Vapor density:	not applicable	
Evaporation rate:	not applicable	
Other information		
Odor threshold: not determined		

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability:

SCHOTT

Stable

The product is stable under storage at normal ambient temperatures. Degassing takes place from temperatures above: >300 °C Decompositon takes place from temperatures above: 365 °C

Possibility of hazardous reactions

Hazardous reactions:

May occur

Reacts with : Strong acid, hydrofluoric acid, phosphoric and phosphorous acid, Alkali (lye), concentrated

Conditions to avoid

Humidity

Temperature > point of degassing (Formation of: Metal oxide smoke, toxic)

Incompatible materials

Strong acid, hydrofluoric acid, phosphoric and phosphorous acid, Alkali (lye), concentrated

Hazardous decomposition products

Metal oxide smoke, toxic (Temperature > point of degassing)

11. Toxicological information

Information on toxicological effects

Route(s) of Entry dermal, Inhalation

Acute toxicity

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Harmful if inhaled

The toxicological potential of glasses results from the bioavailability of individual components when used improperly. This is determined by the bioaccessibility test according to Fraunhofer. It is a leaching method of the material performed in 5 artificial body fluids.

Acute oral toxicity: no bioaccessibility detected

Acute dermal toxicity: no bioaccessibility detected

Acute inhalation toxicity:

The following substances can be extracted and are bioavailable:

1,6 % arsenic(III) = 2,1 % diarsenic trioxide; arsenic trioxide (Method: Bioaccessibility; Fraunhofer) DNEL worker (inhalative, long-term, systemic): 0,005 mg/m³ ATEmix calculated: 3,1 mg/l Result / evaluation: Acute Toxicity, Category 4 (Data obtained by expert judgement.; Calculation method.)

CAS No	Components						
	Exposure route	Dose		Species	Source	Method	
1327-53-3	diarsenic trioxide; arsenic trioxide						
	oral	ATE	5 mg/kg				

Irritation and corrosivity

Based on available data, the classification criteria are not met. Skin corrosion/irritation: pH: 6,3 (OECD 122) Result / evaluation: Not an irritant.

Serious eye damage/irritation: pH: 6,3 (OECD 122) Result / evaluation: Not an irritant.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer (diarsenic trioxide; arsenic trioxide) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. The following substances can be extracted and are bioavailable: 1,6 % arsenic(III) = 2,1 % diarsenic trioxide; arsenic trioxide Method Bioaccessibility; Fraunhofer Result / evaluation: Carcinogenicity 1A (Data obtained by expert judgement.; Calculation method.)

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):Arsenic compounds, inorganic is listed.Carcinogenicity (IARC):Arsenic compounds, inorganic is listed in group 1.Carcinogenicity (NTP):Arsenic compounds, inorganic is listed in group Known.

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

The ecotoxicological effect of glasses is determined by the ecological accessability of hazardous substances that can be released under environmental conditions from the glass matrix. For characterization, the OECD29 test is used. In the evaluation, the leachable hazardous substance content, in relation to the total amount of the per se non-hazardous glass, is treated as a standard mixture proportion and classified accordingly.

Result / evaluation: The product is not: Ecotoxic.

The following substances can be extracted and are bioavailable:

1,9 mg/kg (arsenic(III)) = 0,00025 % (diarsenic trioxide; arsenic trioxide) (Method: OECD 29)

M-factor: 1

Result / evaluation: no classification (Data obtained by expert judgement.; Calculation method.)

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Avoid release to the environment.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Neither the product nor the residues from the processing. Dispose of waste according to applicable legislation.

Contaminated packaging

Dispose of waste according to applicable legislation.

14. Transport information

US DOT 49 CFR 172.101 No dangerous good in sense of this transport regulation. Proper shipping name: Marine transport (IMDG) **UN number:** No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. UN proper shipping name: Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. Packing group: Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. UN number: No dangerous good in sense of this transport regulation. UN proper shipping name:

Page 8 of 9 (USA - EN)

IRG27 (Arsensulfid amorph)

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
Packing group:	No dangerous good in sense of this transport regulation.		
Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
<u>Special precautions for user</u> No information available.			
Transport in bulk according to Annex II of MA	ARPOL 73/78 and the IBC Code		
not applicable			
15. Regulatory information			
U.S. Regulations			
National Inventory TSCA			
Glass, nonoxide, chemicals: No.			
diarsenic trioxide; arsenic trioxide: Yes.			
National regulatory information			
SARA Section 302 Extremely hazardous substances:			
Arsenic trioxide (1327-53-3): Report	able quantity = 1 lbs., Threshold planning quantity = 100/10,000 lbs.		
Arsonic trioxide (1327 53 3): Poport	able quantity = 1 (0.454) lbc (kg)		
SARA Section 311/312 Hazards	able qualitity = $1(0.404)$ iss. (kg)		
Arsenic trioxide (1327-53-3): Delaye	d (chronic) health hazard, Immediate (acute) health hazard		
SARA Section 313 Toxic release inventor	pry:		
Arsenic trioxide (1327-53-3): De mi	nimis limit = 0.1 %, Reportable threshold = Standard		
Clean Air Act Section 112(b):			
Arsenic trioxide (1327-53-3)			
State Regulations			
Safa Drinking Water and Toxic Enforceme	nt Act of 1096 (Droposition 65, State of California)		

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Arsenic (inorganic oxides) (developmental), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Additional information

To follow: 29 CFR Part 1910.1018 (Inorganic arsenic)

16. Other information

Hazardous Materials Informat	ion Label (HMIS)
Health:	2
Flammability:	0
Physical Hazard:	0
NFPA Hazard Ratings	
Health:	2
Flammability:	0
Reactivity:	0
Unique Hazard:	
Changes	
Revision date:	14.03.2019
Revision No:	1.2



This data sheet contains changes from the previous version in section(s): 3,8,9,10,11,12,13,15.

Page 9 of 9 (USA - EN)



IRG27 (Arsensulfid amorph)

Revision date:	14.03.2019	Revision No:	1,2
Print date:	26.04.2019	Replaces version:	1,1

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CFR: Code of Federal Regulations DNEL: derived no-effect level DOT: Department of Transportation IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IARC: International Agency for Research on Cancer GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% NFPA: National Fire Protection Association NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act **TSCA: Toxic Substances Control Act** Tg: Glass transition temperature

Other data

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.