

Accredited Testing Laboratories of SCHOTT AG

Complete list of all accredited test methods in the flexible scope of accreditation according to D-PL-14645-01-00

The testing laboratory hereby publishes the list of all test methods in the flexible scope of accreditation.

Coding: 01_LIST_00003
Version: 9.0
Issue date: 13-Aug-2021

Updates/changes are marked in **green**. Newly introduced procedures according to category I or II are marked with "NEW in flexible scope".

Within the marked testing areas the laboratory is permitted, without prior information or approval of German accreditation body (DAkKS),

- 1) the free selection of standardized testing procedures or procedures equivalent to them.
- 2) the modification of testing procedures as well as new development of testing procedures.
- 3) the use of standardized testing procedures or procedures equivalent to them with different issue dates.

The original DAkKS accreditation certificate incl. annex can be found under www.dakks.de, Accredited Bodies, D-PL-14645-01-00. The testing procedures listed there are exemplary.

Tests are carried out in the following working areas:

Determination of the chemical composition of glasses, glass ceramics, oxide raw and inorganic materials as well as inorganic and organic liquids; Determination of the chemical resistance and ionic release of the surfaces of glass, glass ceramics and decorations;

Determination of physical properties (thermal, thermodynamic, elastic electrical, optical and surface properties) of glasses, glass ceramics, ceramics and composites, as well as the calculation of derived parameters from these metrics; Qualitative and quantitative analysis of the elemental depth profiles in glasses, glass ceramics, ceramics and thin films; High-resolution imaging of glasses, glass ceramics, powders, metals, finishes, coatings and fracture surfaces; Investigations on glasses, glass products and molds in the framework of defect and failure analysis; Determination of geometrical parameters (e.g. pore size, particle size, layer thickness, roughness); Determination of solid glass defects in glasses and glass ceramics in/ at/ on surfaces in the framework of glass defect diagnosis; Investigation of corrosion processes, leaching and hydration; Strength tests and fracture analysis (Fractography) of glasses, glass ceramics, plastics and composite materials (material and product properties); Determination of the volume fractions of gaseous substances in inclusions of oxide materials such as glasses and glass ceramics; Analysis of pharmaceutical packaging and their components regarding extractable and leachable constituents, contaminations and corrosion products.

Locations:

Otto-Schott-Straße 2, 55127 Mainz
Hattenbergstraße 10, 55122 Mainz
400 York Ave, Duryea/PA 18642 USA

Contents

Laboratory location Otto-Schott-Straße 2, 55127 Mainz

1 Determination of the concentrations and valence states of elements in glasses, glass ceramics, ceramics and other anorganic materials, glass- and ceramic raw materials, materials for treatment of glass surfaces (e.g. decoration colors), as well as other samples/materials (e.g. dust, sludge, condensates, water, eluates, metals, alloys, special steels) in combination glass production.....	6
1.1 Sample preparation, digestion methods (open digestions, melting digestion techniques, digestions in closed systems) ²⁾	6
1.2 by wet chemistry procedures.....	6
1.2.1 by Titrimetry ²⁾	6
1.2.2 by Gravimetry ²⁾	7
1.3 by spectrometric methods (FAAS, HG-AAS, CV-AAS, GFAAS, ICP-OES, ICP-MS, UV-VIS)	7
1.3.1 Atomic Absorption Spectrometry (FAAS, HG-AAS, CV-AAS, GFAAS) ²⁾	7
1.3.2 by Inductively Coupled Plasma (ICP-OES) ¹⁾	8
1.3.3 by Inductively Coupled Plasma and mass-selective detection (ICP-MS) ²⁾	9
1.3.4 UV/VIS-Spectrophotometry ²⁾	9
1.4 by Ion Chromatography (IC) ¹⁾	10
1.5 by solid state methods (XRF, Laser-ICP-MS, VGA/TGHE)	10
1.5.1 X-Ray Fluorescence-Analysis (XRF) ²⁾	10
1.5.2 Laser Ablation Inductively Coupled Plasma-Mass Spectrometry (LA-ICP-MS) ²⁾	11
1.5.3 Combustion Analysis/Carrier gas hot extraction (VGA/TGHE) ²⁾	11
2 Determination of the chemical resistance of glasses, glass ceramics, decorations on glasses or glass ceramics and other materials.....	11
2.1 Determination of resistance to liquid media	11
2.1.1 Ion release of surface	11
2.1.1.1 Sample preparation by extraction and leaching procedures ²⁾	11
2.1.1.2 by Titrimetry ¹⁾	12
2.1.1.3 by Atomic Absorption Spectrometry (FAAS, HG-AAS, GFAAS) ²⁾	13
2.1.1.4 by Inductively Coupled Plasma (ICP-OES) ²⁾	14
2.1.1.5 by Inductively Coupled Plasma with mass-selective detection (ICP-MS) ²⁾	16
2.1.1.6 by electrode measurement ¹⁾	18
2.1.1.7 by Ion Chromatography (IC) ³⁾	18
2.1.2 Mass loss and/or time needed for defined removal in μm by differential weighing and visual inspection ²⁾	19
2.1.3 Staining, Color and Gloss changes, Abrasion Resistance	20

2.1.3.1 Visual Inspection ²⁾	20
2.1.3.2 Differential weighing and visual inspection ¹⁾	20
2.2 Determination of the resistance against changing climate (humidity, temperature) by climate test chamber ²⁾	20
3 Thermal Characterization of glasses, glass ceramics, ceramics, sinter glasses, composites with glass or glass ceramic as well as raw materials of glass industry.....	21
3.1 Testing of thermal expansion (static, dynamic) of glasses, glass ceramics and plastics by inductive and optical methods for a temperature range of -180°C to 1300°C ²⁾	21
3.2 Determination of viscosity of glasses for a viscosity range of 100-5 x 10 ¹³ dPa s ²⁾	21
3.3 Determination of the rheological parameters of solids, slurries and highly viscous liquids ²⁾	22
3.4 Determination of the density of glasses, glass ceramics, ceramics and other materials ¹⁾	22
3.5 Thermal analysis (differential thermal analysis (DTA), differential scanning calorimetry (DSC) and calorimetry (specific heat)) on glasses, glass ceramics, ceramics and raw materials (powders) ²⁾	22
3.6 Determination of the thermal diffusivity of solids by flash method and calculation of the thermal conductivity ¹⁾	23
3.7 Determination of seal stress in glass by polarization microscopy ³⁾	23
3.8 Determination of crystallization properties of glasses by gradient furnace method ²⁾	23
3.9 Determination of Young`s Modulus, Shear Modulus and Poisson`s constant of glass, glass ceramic and ceramic by resonance method ²⁾	23
3.10 Determination of the electric resistivity of glasses, glass ceramics, ceramics and other materials ²⁾	23
4 Optical characterization of glasses, glass ceramics, ceramics, sintered glasses, composites with glass or glass ceramics as well as raw materials of the glass industry.....	24
4.1 Determination of transmission, reflection, remission, scattered light/haze, solarization, spectral color measurement, refractive index and dispersion, fluorescence of glasses, glass ceramics, liquids by spectroscopy ²⁾	24
4.2 Ellipsometric characterization of coatings and uncoated materials ²⁾	24
4.3 Stress measurements and stress-optical coefficient ²⁾	25
5 Characterization of glasses, glass ceramics, ceramics, metals, plastics and composite materials in micro and surface area.....	25
5.1 by Scanning Electron Microscopy/Energy Dispersive X-ray spectroscopy (SEM/EDX) ²⁾	25
5.2 by topographic methods (WLI, AFM) ²⁾	25
5.3 by Light Microscopy ²⁾	26
5.4 by Time-of-Flight-Secondary Ion Mass Spectrometry (ToF-SIMS) ²⁾	26
5.5 by Vibrational Spectroscopy ³⁾	26
6 Strength tests on glasses, glass ceramics, plastics and composites, Determination of material and product properties by pressure and tensile tests ²⁾	27

7 Fracture analysis (fractography) on glasses, glass ceramics, ceramics and plastics by light microscopic methods ²⁾	28
8 Determination of the volume fractions of gaseous substances in inclusions of glasses, glass ceramics, oxide materials and stones by mass spectrometry and Raman spectroscopy	28
9 Analysis of pharmaceutical packaging and their components regarding extractable and leachable constituents, contaminations and corrosion products	28
9.1 Sample preparation and extraction procedures ¹⁾	28
9.2 by gas chromatography (GC-MS) ²⁾	29
9.3 by Liquid Chromatography (LC-MS) ²⁾	29
9.4 by Inductively Coupled Plasma (ICP-OES) ²⁾	29
9.5 by Inductively Coupled Plasma and mass-selective detection (ICP-MS) ²⁾	30
9.6 by UV-VIS-Spectrophotometry ³⁾	30
9.7 by Infrared Spectroscopy (IR) ³⁾	30
9.8 by Visual Inspection and Optical Microscopy ¹⁾	31
9.9 by Scanning Electron Microscopy/Energy Dispersive X-ray spectroscopy (SEM/EDX) ²⁾	31
9.10 by Raman Spectroscopy ³⁾	32

Laboratory location Hattenbergstraße 10, 55122 Mainz

1 Testing of thermal expansion (static, dynamic) of glasses, glass ceramics, ceramics, sinter materials, plastics and composites by inductive and optical methods for a temperature range of -50°C to +100°C ²⁾	32
2 Determination of optical properties (transmission and derived parameters, refractive index and dispersion) preferably on glasses by optical spectroscopy and optical refractography ²⁾	32
3 Determination of the density of glasses, glass ceramics, ceramics and other materials ³⁾	32

Laboratory location 400 York Ave, Duryea PA/ 18642 USA

1 Characterization of glasses, glass ceramics, ceramics, metals, plastics and composite materials in micro and surface area as well as fracture analysis (fractography)	33
1.1 by Scanning Electron Microscopy/ Energy Dispersive X-ray spectroscopy (SEM/EDX) ²⁾	33
1.2 by Light Microscopy Methods ²⁾	33
2 Analysis of pharmaceutical packaging and their components regarding contaminations and corrosion products	33
2.1 by Visual Inspection and Optical Microscopy ¹⁾	33
2.2 by Scanning Electron Microscopy/ Energy Dispersive X-ray spectroscopy (SEM/EDX) ²⁾	34
2.3 by Inductively Coupled Plasma (ICP-OES) ¹⁾	34
3 Determination of the mass contents of elements in glasses, glass ceramics, ceramics and other anorganic materials, glass and ceramic raw materials	34

3.1 Sample preparation, digestion methods (open digestions, melting digestion techniques)²⁾ 34
3.2 by Optical Emission Spectroscopy with Inductively Coupled Plasma (ICP-OES)³⁾ 34

Laboratory location Otto-Schott-Straße 2, 55127 Mainz

1 Determination of the concentrations and valence states of elements in glasses, glass ceramics, ceramics and other anorganic materials, glass- and ceramic raw materials, materials for treatment of glass surfaces (e.g. decoration colors), as well as other samples/materials (e.g. dust, sludge, condensates, water, eluates, metals, alloys, special steels) in combination glass production

1.1 Sample preparation, digestion methods (open digestions, melting digestion techniques, digestions in closed systems)²⁾

DIN EN ISO 10058-1 Chemical analysis of magnesite and dolomite refractory
2009-09 products (alternative to the X-ray fluorescence method)

-

Part 1: Apparatus, reagents, dissolution and
determination of gravimetric silica

DIN EN ISO 21587-1 Chemical analysis of aluminosilicate refractory products
2007-12 (alternative to the X-ray fluorescence method) -

Part 1: Apparatus, reagents, dissolution and gravimetric
silica

DIN 52331
1995-05

Testing of glass –
Crushing and drying of samples for chemical analysis
(withdrawn standard)

DIN 52340-3
1990-07

Testing of glass -
Chemical analysis of colorless soda-lime-glass with SiO₂,
CaO, MgO and Na₂O as main constituents;
Decomposition methods -
(withdrawn standard)

DIN 52342-2
1980-01

Testing of raw materials for the production of glass -
Chemical analysis of arenaceous quartz with at least
98 % silica,
Part 2: Fusion process for the determination of Al₂O₃,
Fe₂O₃ and TiO₂ as well as CaO, MgO, Na₂O and K₂O -
(Modification: Application for further oxides)

01_SOP_00480
2018-02

Special digestion procedures for glasses, glass ceramics,
ceramics, raw materials and other materials

1.2 by wet chemistry procedures

1.2.1 by Titrimetry ²⁾

DIN EN ISO 21078-1
2008-04

Determination of boron (III) oxide in refractory products
-

Part 1: Determination of total boron (III) oxide in oxidic materials for ceramics, glass and glazes
(Modification: Digestion, no reprecipitation)

YBB00232003-2015
2015-00

Determination of Boron Oxide

NEW in flexible scope

01_SOP_00475
2018-02

Titrimetric determination of main and minor components in glasses, glass ceramics and raw materials

1.2.2 by Gravimetry²⁾

ISO 247-1
2018-07

Rubber - Determination of ash - Part 1: Combustion method

DIN EN ISO 8871-2
2020-09

Elastomeric parts for parenterals and for devices for pharmaceutical use - Part 2: Identification and characterization -
(text in German and English)

DIN 51081
2002-12

Testing of oxidic raw materials and materials - Determination of change in mass on ignition -
(Modification: material-related temperatures, sample amounts)

DIN 52340-2
1974-01

Testing of glass -
Chemical analysis of colorless soda-lime-glass with SiO₂, CaO, MgO and Na₂O as main constituents;
Part 2: Determination SiO₂
(withdrawn standard)

01_SOP_00479
2018-02

Gravimetric determination of main and minor components in glasses, glass ceramics and raw materials

1.3 by spectrometric methods (FAAS, HG-AAS, CV-AAS, GFAAS, ICP-OES, ICP-MS, UV-VIS)

1.3.1 Atomic Absorption Spectrometry (FAAS, HG-AAS, CV-AAS, GFAAS)²⁾

DIN EN ISO 10058-3
2009-09

Chemical analysis of magnesite and dolomite refractory products (alternative to the X-ray fluorescence method)

-
Part 3: Flame atomic absorption spectrophotometry (FAAS) and inductively coupled plasma atomic emission spectrometry (ICP-AES)

<p>DIN 52340-11 1997-11</p>	<p>Testing of glass - Chemical analysis of colorless soda-lime-glass with SiO₂, CaO, MgO und Na₂O as main constituents Part 11: Determination of BaO, CaO, MgO, Al₂O₃, Fe₂O₃, Cr₂O₃ with FAAS and Na₂O and K₂O with FAES (withdrawn standard) (Modification: Applicatin on special glasses and glass ceramics, further elements, AAS-detection)</p>
<p>DIN 52341 1993-10</p>	<p>Testing of glass - Chemical analysis of lead crystal glass and crystal glass (withdrawn standard) (Modification: Application on special glasses and glass ceramics, further elements)</p>
<p>DIN 52342-7 1980-01</p>	<p>Testing of raw materials for the production of glass Chemical analysis of arenaceous quartz with at least 98 % silica Part 7: Determination of Na₂O and K₂O (standard withdrawn) (Modification: Detection with ICP-OES or FAAS)</p>
<p>01_SOP_00394 2018-02</p>	<p>Determination of alkaline and alkaline earth oxides in raw materials and materials by flame atomic absorption spectrometry (FAAS)</p>
<p>ICG/TC 2 - Handbook of recommended analytical methods, ISBN 92-95041-01-01, p. 23ff 2009-02</p>	<p>Determination of mercury in glass by cold vapour atomic absorption spectrometry (CVAAS)</p>
<p>1.3.2 by Inductively Coupled Plasma (ICP-OES)¹⁾ DIN EN ISO 10058-3 2009-09</p>	<p>Chemical analysis of magnesite and dolomite refractory products (alternative to the X-ray fluorescence method) - Part 3: Flame atomic absorption spectrophotometry (FAAS) and inductively coupled plasma atomic emission spectrometry (ICP-AES)</p>

DIN EN ISO 11885 2009-09	Water quality - Determination of selected elements by inductively coupled plasma optical emission spectrometry (ICP-OES) (Modification: Application to digestions solutions, further elements)	NEW in flexible scope
DIN 51086-2 2004-07	Testing of oxidic raw materials and materials for ceramics, glass and glazes - Part 2: Determination of Ag, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cu, Er, Eu, Fe, La, Mg, Mn, Mo, Nd, Ni, P, Pb, Pr, S, Sb, Se, Sn, Sr, Ti, V, W, Y, Yb, Zn, Zr by optical emission spectrometry with inductively coupled plasma (ICP-OES) - (Modification: Determination of further elements)	
1.3.3 by Inductively Coupled Plasma and mass-selective detection (ICP-MS)²⁾		
DIN EN ISO 17294-2 2017-01	Water quality - Application of inductively coupled plasma mass spectrometry (ICP-MS) - Part 2: Determination of selected elements including uranium isotopes (Modification: Application to digestion solutions)	
01_SOP_00478 2018-02	Semi-quantitative trace analysis of glasses, glass ceramics, raw materials and materials, dusts after sample digestion as well as aqueous extracts by ICP-MS	
1.3.4 UV/VIS-Spectrophotometry²⁾		
DIN EN ISO 14719 2012-03	Chemical analysis of refractory material glass and glazes - Determination of Fe ²⁺ and Fe ³⁺ by the spectral photometric method with 1,10-phenanthroline	
DIN 51084 2008-11	Testing of oxidic raw and basic materials for ceramic, glass and glazes - Determination of fluoride content	
DIN 51086-3 2007-04	Testing of oxidic raw and basic materials for ceramics, glass and glazes - Part 3: Spectrophotometric determination of chrome(VI) with diphenyl carbazide in the presence of chrome(III)	
01_SOP_00481 2018-02	Spectrophotometric determination of halides and arsenic in glasses, glass ceramics, raw materials and refractory materials	

01_SOP_00482
2018-02 Spectrophotometric determination of metal species in glasses, glass ceramics, raw materials and refractory materials

1.4 by Ion Chromatography (IC)¹⁾

DIN EN ISO 10304-1
2009-07 Water quality - Determination of dissolved anions by liquid chromatography of ions - Part 1: Determination of bromide, chloride, fluoride, nitrate, nitrite, phosphate and sulfate (Modification: Determination, also of further anions, in aqueous extracts and digestion solutions and **after combustion in solid samples**)

DIN 51084
2008-11 Testing of oxidic raw and basic materials for ceramic, glass and glazes - Determination of fluoride content

1.5 by solid state methods (XRF, Laser-ICP-MS, VGA/TGHE)

1.5.1 X-Ray Fluorescence-Analysis (XRF)²⁾

DIN EN ISO 12677
2013-02 Chemical analysis of refractory products by X-ray fluorescence (XRF)- Fused cast-bead method

DIN 51001
2003-08 Testing of oxidic raw materials and basic materials - General bases of work for X-ray fluorescence method (XRF)

DIN 51001 Beiblatt
2010-05 Testing of oxidic raw materials and basic materials - General bases of work for X-Ray fluorescence method (XRF) - General survey on disintegration methods referred to groups of materials for the determination of test specimens for XRF

DIN 51418-2
2015-03 X-ray spectrometry - X-ray emission- and X-ray fluorescence analysis (XRF) - Part 2: Definitions and basic principles for measurements, calibration and evaluation of results

01_SOP_00483
2021-05 Semi-quantitative determination of the composition of unknown glasses, glass ceramics, raw materials and materials, dusts, pigments, metals and residues by WD-XRF as well as micro-area analysis with SSM-EDX module

1.5.2 Laser Ablation Inductively Coupled Plasma-Mass Spectrometry (LA-ICP-MS)²⁾

ASTM E 2927
2016-00 Standard Test Method for Determination of Trace Elements in Soda-Lime Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry NEW in flexible scope

01_SOP_00484
2018-02 Determination of trace components and ultratraces in glasses, glass ceramics and metals by Laser Ablation - Inductively Coupled Plasma Mass Spectrometry (LA-ICP-MS)

1.5.3 Combustion Analysis/Carrier gas hot extraction (VGA/TGHE)²⁾

DIN EN ISO 14720-1
2013-06 Testing of ceramic raw and basic materials - Determination of sulfur in powders and granules of non-oxidic ceramic raw and basic materials - Part 1: Infrared measurement methods

DIN EN ISO 15350
2010-08 Steel and iron - Determination of total carbon and sulfur content - Infrared absorption method after combustion in an induction furnace (routine method)

DIN 19539
2016-12 Investigation of solids - Temperature-dependent differentiation of total carbon (TOC400, ROC, TIC900) NEW in flexible scope

DIN 51085
2015-01 Testing of oxidic raw and basic materials – Determination of total sulphur content

01_SOP_00485
2018-02 Determination of water, carbon, oxygen and nitrogen in glasses, glass ceramics, raw materials and metals by gas analysis (VGA/TGHE)

2 Determination of the chemical resistance of glasses, glass ceramics, decorations on glasses or glass ceramics and other materials

2.1 Determination of resistance to liquid media

2.1.1 Ion release of surface

2.1.1.1 Sample preparation by extraction and leaching procedures²⁾

DIN EN 12457-2
2003-01 Characterization of waste – Leaching; Compliance test for leaching of granular and sludges - Part 2: One stage batch test at a liquid to solid ratio of 10 l/kg with particle size below 4 mm (without or with size reduction); (Modification: Application on glass)

Ph. Eur. 3.2.9 2020-12	European Pharmacopoeia - 3.2.9 Rubber closures for containers for aqueous parenteral preparations, for powders and for freeze-dried powders - Sample preparation of Solution S
USP <1660> 2013-12	Evaluation of the inner surface durability of glass containers
01_SOP_00474 2018-02	Chemical durability and extractable components of glasses and glass ceramics and other materials (Extractables and Leachables): Procedures for stresses, extraction and leaching of glasses and glass ceramics
2.1.1.2 by Titrimetry¹⁾ ISO 4802-1 2016-06	Glassware - Hydrolytic resistance of the interior surfaces of glass containers - Part 1: Determination by titration method and classification (in accordance with DIN EN ISO 4802-1, 2012-12)
DIN ISO 719 1989-12	Glass - Hydrolytic resistance of glass grains at 98 °C - Method of test and classification
DIN ISO 720 1989-12	Glass - Hydrolytic resistance of glass grains at 121 °C - Method of test and classification
JP 17th edition 2016-04	Japanese Pharmacopoeia - 7. Test for Containers and Packing Materials - 7.01. Test for Glass Containers for Injections
Ph. Eur. 3.2.1 2019-01	European Pharmacopoeia - 3.2. Containers - 3.2.1. Glass containers for pharmaceutical use - Test A: Hydrolytic resistance of the inner surfaces of glass containers (Surface Test) - Test B: Hydrolytic resistance of glass grains (Glass Grains Test) - Test C: To determine whether the containers have been surface treated (Etching Test) -

3.2.9. Rubber closures for containers for aqueous parenteral preparations, for powders and for freeze-dried powders -
 Test: Acidity or Alkalinity
 Test: Reducing substances

USP <660>
 2015-05

USP <660>, Containers-Glass -
 Chemical Resistance -
 Glass Grains Test -
 Surface Glass Test -
 Surface Etching Test

YBB00242003-2015
 2015-00

Tests and classification for hydrolytic resistance of Interior Surfaces at 121°C

NEW in flexible scope

YBB00252003-2015
 2015-00

Tests and Classification for Hydrolytic Resistance of Glass Grains at 121°C

NEW in flexible scope

YBB00362004-2015
 2015-00

Test and Classification for Hydrolytic Resistance of Glass Grains at 98°C

NEW in flexible scope

2.1.1.3 by Atomic Absorption Spectrometry (FAAS, HG-AAS, GFAAS)²⁾

ISO 4802-2
 2016-06

Glassware -
 Hydrolytic resistance of the interior surfaces of glass containers –
 Part 2: Determination by flame spectrometry and classification

ISO 6486-1
 2019-08

Ceramic ware, glass ceramic ware and glass dinnerware in contact with food - Release of lead and cadmium -
 Part 1: Test method

NEW in flexible scope

ISO 10136-2
 1993-07

Glass and glassware: Analysis of extract solutions -
 Part 2: Determination of sodium oxide and potassium oxide by flamespectrometric methods

ISO 10136-3 1993-07	Glass and glassware: Analysis of extract solutions - Part 3: Determination of calcium oxide and magnesium oxide by flame atomic absorption spectrometry	
DIN EN ISO 4531 2018-12	Vitreous and porcelain enamels - Release from enamelled articles in contact with food - Methods of test and limits	NEW in flexible scope
DIN ISO 1776 1988-05	Glass - Resistance to attack by hydrochloric acid at 100 °C - Flame emission or flame atomic absorption spectrometric method	
DIN 52296 1989-12	Glass and glass ceramics - Hydrolytic resistance of the surface of glass and glass ceramic plates at 98 °C - Method of test and classification	
DIN EN 1388-1 1995-11	Materials and articles in contact with foodstuffs - Silicate surfaces - Part 1: Determination of the release of lead and cadmium from ceramic ware	
DIN EN 1388-2 1995-11	Materials and articles in contact with foodstuffs - Silicate surfaces - Part 2: Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware	
Ph. Eur. 3.2.1 2019-01	European Pharmacopoeia - 3.2. Containers - 3.2.1. Glass containers for pharmaceutical use - Annex - Test for surface hydrolytic resistance- determination by flame atomic absorption spectrometry (FAAS) - Arsenic (HGAAS)	
01_SOP_00473 2018-02	Determination of silicone in organic extracts by Graphite Furnace-Atomic Absorption Spectrometry (GFAAS)	
2.1.1.4 by Inductively Coupled Plasma (ICP-OES)²⁾ ISO 4802-2	Glassware-	

2016-06	Hydrolytic resistance of the interior surfaces of glass containers - Part 2: Determination by flame spectrometry and classification (Modification: Determination of further cations with ICP-OES or ICP-MS)	
ISO 7086-1 2019-08	Glassware and glass ceramic ware in contact with food - Release of lead and cadmium - Part 1: Method of test (Modification: Detection with ICP-OES or ICP-MS)	
ISO 6486-1 2019-08	Ceramic ware, glass ceramic ware and glass dinnerware in contact with food - Release of lead and cadmium - Part 1: Test method	NEW in flexible scope
DIN EN ISO 11885 2009-09	Water quality - Determination of selected elements by inductively coupled plasma optical emission spectrometry (ICP-OES)	
DIN EN ISO 4531 2018-12	Vitreous and porcelain enamels - Release from enamelled articles in contact with food - Methods of test and limits	NEW in flexible scope
DIN EN 1388-1 1995-11	Materials and articles in contact with foodstuffs - Silicate surfaces - Part 1: Determination of the release of lead and cadmium from ceramic ware (Modification: Detection with ICP-OES or ICP-MS)	
DIN EN 1388-2 1995-11	Materials and articles in contact with foodstuffs - Silicate surfaces - Part 2: Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware (Modification: Detection with ICP-OES or ICP-MS)	
DIN ISO 1776 1988-05	Glass - Resistance to attack by hydrochloric acid at 100 °C - Flame emission or flame atomic absorption spectrometric method (Modification: Determination of further cations with ICP)	

DIN 52296 1989-12	Glass and glass ceramics - Hydrolytic resistance of the surface of glass and glass ceramic plates at 98 °C; Method of test and classification (Modification: Determination of further cations with ICP-OES or ICP-MS)
Ph. Eur. 3.2.1 2019-01	European Pharmacopoeia - 3.2. Containers - 3.2.1. Glass containers for pharmaceutical use - Test A: Hydrolytic resistance of the inner surfaces of glass containers (Surface Test) - Test B: Hydrolytic resistance of glass grains (Glass Grains Test) - Test C: To determine whether the containers have been surface treated (Etching Test) - Annex - Test for surface hydrolytic resistance-determination by flame atomic absorption spectrometry (FAAS) (Modifikation: Bestimmung von weiteren Kationen mit ICP-OES oder ICP-MS)
USP <233> 2018-05	Chemical Test and Assays: Elemental Impurities - Procedures
USP <660> 2015-05	USP <660>, Containers-Glass - Chemical Resistance - Glass Grains Test - Surface Glass Test - Surface Etching Test (Modifikation: Detektion von Kationen mit ICP-OES oder ICP-MS)
01_SOP_00028 2020-10	Trace element analysis of aqueous extracts from glass, glass ceramics and pharmaceutical packaging with ICP-MS or ICP-OES
2.1.1.5 by Inductively Coupled Plasma with mass-selective detection (ICP-MS)²⁾ ISO 4802-2 2016-06	Glassware- Hydrolytic resistance of the interior surfaces of glass containers - Part 2: Determination by flame spectrometry and classification

	(Modification: Determination of further cations with ICP-OES or ICP-MS)	
ISO 7086-1 2019-08	Glassware and glass ceramic ware in contact with food Release of lead and cadmium Part 1: Method of test (Modification: Detection with ICP-OES or ICP-MS)	
ISO 6486-1 2019-08	Ceramic ware, glass ceramic ware and glass dinnerware in contact with food - Release of lead and cadmium - Part 1: Test method	NEW in flexible scope
DIN EN ISO 4531 2018-12	Vitreous and porcelain enamels - Release from enamelled articles in contact with food - Methods of test and limits	NEW in flexible scope
DIN EN ISO 17294-2 2017-01	Water quality - Application of inductively coupled plasma mass spectrometry (ICP-MS) - Part 2: Determination of selected elements including uranium isotopes	
DIN EN 1388-1 1995-11	Materials and articles in contact with foodstuffs - Silicate surfaces - Part 1: Determination of the release of lead and cadmium from ceramic ware (Modification: Detection with ICP-OES or ICP-MS)	
DIN EN 1388-2 1995-11	Materials and articles in contact with foodstuffs - Silicate surfaces - Part 2: Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware (Modification: Detection with ICP-OES or ICP-MS)	
DIN 52296 1989-12	Glass and glass ceramics - Hydrolytic resistance of the surface of glass and glass ceramic plates at 98 °C - Method of test and classification (Modification: Determination of further cations with ICP-OES or ICP-MS)	
Ph. Eur. 3.2.1 2019-01	European Pharmacopoeia - 3.2. Containers -	

3.2.1. Glass containers for pharmaceutical use -
 Test A: Hydrolytic resistance of the inner surfaces of glass containers (Surface Test)
 Test B: Hydrolytic resistance of glass grains (Glass Grains Test)
 Test C: To determine whether the containers have been surface treated (Etching Test)
 Annex - Test for surface hydrolytic resistance-determination by flame atomic absorption spectrometry (FAAS)
 (Modifikation: Bestimmung von weiteren Kationen mit ICP-OES oder ICP-MS)

USP <233>
 2018-05

Chemical Test and Assays: Elemental Impurities - Procedures

USP <660>
 2015-05

USP <660>, Containers-Glass -
 Chemical Resistance Glass Grains Test Surface Glass Test -
 Surface Etching Test
 (Modification: Detection of cations with ICP-OES or ICP-MS)

YBB00372004-2015
 2015-00

Tests for release of arsenic antimony, lead and cadmium

NEW in flexible scope

01_SOP_00028
 2020-10

Trace element analysis of aqueous extracts from glass, glass ceramics and pharmaceutical packaging with ICP-MS or ICP-OES

2.1.1.6 by electrode measurement¹⁾

DIN 19268
 2007-05

pH-measurement - pH-measurement of aqueous solutions with pH measuring chains with pH glass electrodes and evaluation of measurement uncertainty

DIN EN 27888
 1993-11

Water quality - determination of electrical conductivity

2.1.1.7 by Ion Chromatography (IC)³⁾

DIN EN ISO 10304-1
 2009-07

Water quality - Determination of dissolved anions by liquid chromatography of ions -

Part 1: Determination of bromide, chloride, fluoride, nitrate, nitrite, phosphate and sulfate
(Modification: Detection, also of further anions, in aqueous solutions)

2.1.2 Mass loss and/or time needed for defined removal in μm by differential weighing and visual inspection²⁾

ISO 8424 1996-06	Raw optical glass - Resistance to attack by aqueous acidic solutions at 25°C - Test method and classification	
ISO 9689 1990-12	Raw optical glass - Testing of the resistance to attack by aqueous alkaline phosphate-containing solutions at 50°C - Testing and classification	
ISO 10629 1996-07	Raw optical glass - Resistance to attack by aqueous alkaline solutions at 50°C - Test method and classification	
DIN ISO 695 1994-02	Glass: Resistance to attack by a boiling aqueous solution of mixed alkali - Method of test and classification	
DIN 12116 2001-03	Testing of glass - Resistance to attack by a boiling aqueous solution of hydrochloric acid - Method of test and classification	
JOGIS 2007-03	Japanese Optical Glass Industrial Standards - Measuring Method for Chemical Durability of Optical Glass (Powder Method)	
YBB00342004-2015 2015-00	Test for Resistance to Attack of Glass by Boiling Hydrochloric Acid	NEW in flexible scope
YBB00352004-2015 2015-00	Test for Resistance to Attack of Glass by Boiling Aqueous Solution of Mixed Alkali	NEW in flexible scope
01_SOP_00472 2018-02	Determination of the chemical resistance of glasses, glass ceramics and other materials after chemical stresses by differential weighing and visual inspection	

2.1.3 Staining, Color and Gloss changes, Abrasion Resistance

2.1.3.1 Visual Inspection²⁾

DIN ISO 4794 Laboratory glassware:
1983-01 Methods for assessing the chemical resistance of enamels, used for color and color marking

USP <211> Arsenic <211> Method I
prior to 2013

01_SOP_00476 Determination of staining, color and gloss changes,
2018-02 abrasion resistance of glasses, glass ceramics and other materials after chemical stresses by visual inspection

2.1.3.2 Differential weighing and visual inspection¹⁾

DIN EN ISO 28706-2 Vitreous and porcelain enamels -
2017-07 Determination of resistance to chemical corrosion -
Part 2: Determination of resistance to chemical corrosion by boiling acids, boiling neutral liquids and/or their vapours

DIN EN ISO 28706-4 Vitreous and porcelain enamels -
2016-07 Determination of resistance to chemical corrosion -
Part 4: Determination of resistance to chemical corrosion by alkaline liquids using a cylindrical vessel

2.2 Determination of the resistance against changing climate (humidity, temperature) by climate test chamber²⁾

RTCA DO-160G Environmental Conditions and Test Procedures for
2017-12 Airborne Equipment -
Section 5 Category B, C (temperature variation) -
Section 6 (humidity)

01_SOP_00477 Determination of the resistance of glasses, glass
2018-02 ceramics and composites with these materials after stresses by alternating climate and gases

3 Thermal Characterization of glasses, glass ceramics, ceramics, sinter glasses, composites with glass or glass ceramic as well as raw materials of glass industry

3.1 Testing of thermal expansion (static, dynamic) of glasses, glass ceramics and plastics by inductive and optical methods for a temperature range of -180°C to 1300°C²⁾

DIN 51045-1
2005-08 Determination of the thermal expansion of solids -
Part 1: Basic rules

DIN ISO 7991
1998-02 Glass - Determination of coefficient of mean linear
thermal expansion

01_SOP_00470
2021-05 Determination of the static and dynamic thermal
expansion behaviour of solids by dilatometry and
thermomechanical analysis

01_SOP_00469
2018-02 Determination of the compaction of glasses and glass
ceramics by length comparison measurement

3.2 Determination of viscosity of glasses for a viscosity range of 100-5 x 10¹³ dPa s²⁾

DIN ISO 7884-1
1998-02 Glass - Viscosity and viscometric fixed points
Part 1: Principles for determining viscosity and
viscometric fixed points

DIN ISO 7884-2
1998-02 Glass - Viscosity and viscometric fixed points
Part 2: Determination of viscosity by rotation
viscometers

DIN ISO 7884-3
1998-02 Glass - Viscosity and viscometric fixed points
Part 3: Determination of viscosity by fibre elongation
viscometer

DIN ISO 7884-4
1998-02 Glass - Viscosity and viscometric fixed points
Part 4: Determination of viscosity by beam bending

DIN ISO 7884-6
1998-02 Glass - Viscosity and viscometric fixed points
Part 6: Determination of softening point

DIN ISO 7884-7
1998-02 Glass - Viscosity and viscometric fixed points - Part 7:
Determination of annealing point and strain point by
beam bending

DIN ISO 7884-8 Glass - Viscosity and viscometric fixed points -

1998-02 Part 8: Determination of (dilatometric) transformation temperature

01_SOP_00471
2018-02 Determination of the viscosity properties of glasses by beam bending, fibre elongation and rotation viscosimeters as well as dilatometric transformation temperature

3.3 Determination of the rheological parameters of solids, slurries and highly viscous liquids²⁾

01_SOP_00671
2021-05 Determination of the rheological parameters of solids, slurries and highly viscous liquids using rheometric measurement techniques in rotational and oscillation mode NEW in flexible scope

3.4 Determination of the density of glasses, glass ceramics, ceramics and other materials¹⁾

ISO 2781
2018-06 Rubber, vulcanized or thermoplastic – Determination of density

ASTM C 693
1993-00 Standard Test Method for Density of Glass by Buoyancy (Modification: Use of a surfactant additive as well as smaller sample mass)

3.5 Thermal analysis (differential thermal analysis (DTA), differential scanning calorimetry (DSC) and calorimetry (specific heat)) on glasses, glass ceramics, ceramics and raw materials (powders)²⁾

DIN 51006
2005-07 Thermal analysis (TA) - Thermogravimetry (TG) - Principles

DIN 51007
2019-04 Thermal analysis - Differential thermal analysis (DTA) and differential scanning calorimetry (DSC) - General Principles

01_SOP_00156
2018-02 Determination of the true and average specific heat capacity of solids by calorimetric methods

01_SOP_00581
2018-02 Thermal analysis of solids by differential thermal analysis (DTA), differential scanning calorimetry (DSC) and thermogravimetric analysis (TGA) as well as simultaneous DTA-TGA

3.6 Determination of the thermal diffusivity of solids by flash method and calculation of the thermal conductivity¹⁾

ASTM E 1461 2013-00	Standard Test Method for Thermal Diffusivity by the Flash Method	NEW in flexible scope
DIN EN 821-2 1997-08	Advanced technical ceramics - Monolythic ceramics, thermophysical properties - Part 2: Determination of thermal diffusivity by the laser flash (or heat pulse method)	NEW in flexible scope

3.7 Determination of seal stress in glass by polarization microscopy³⁾

DIN 52327-1 1977-11	Testing of glass - Determination of stresses in glass-to-glass sealings (withdrawn standard) (Modification: measuring location near the sealing line)
------------------------	---

3.8 Determination of crystallization properties of glasses by gradient furnace method²⁾

ASTM C 829 1981-00	Standard Practices for Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method
01_SOP_00486 2018-07	Determination of the crystallization properties of glasses and glass ceramics by the gradient furnace method

3.9 Determination of Young`s Modulus, Shear Modulus and Poisson`s constant of glass, glass ceramic and ceramic by resonance method²⁾

ASTM C 1259 2015-00	Standard Test Method for Dynamic Youngs Modulus, Shear Modulus, and Poissons Ratio for Advanced Ceramics by Impulse Excitation of Vibration
01_SOP_00502 2018-02	Determination of the dynamic Young`s modulus, shear modulus and Poisson`s coefficient of glasses, glass ceramics, ceramics and metals by impulse excitation of vibrations

3.10 Determination of the electric resistivity of glasses, glass ceramics, ceramics and other materials²⁾

01_SOP_00511 2018-02	Determination of the specific electric volume resistance of glasses and glass ceramics by current and voltage measurements
-------------------------	--

4 Optical characterization of glasses, glass ceramics, ceramics, sintered glasses, composites with glass or glass ceramics as well as raw materials of the glass industry

4.1 Determination of transmission, reflection, remission, scattered light/haze, solarization, spectral color measurement, refractive index and dispersion, fluorescence of glasses, glass ceramics, liquids by spectroscopy²⁾

ISO 15368
2021-03 Optics and optical instruments - Measurement of reflectance of plane surfaces and transmittance of plane parallel elements

Ph. Eur. 3.2.9
2020-12 European Pharmacopoeia -
3.2.9 Rubber closures for containers for aqueous parenteral preparations, for powders and for freeze-dried powders -
Test: Absorbance, Reference to Ph. Eur. 2.2.25 -
Test A: Infrared absorption spectrometry, Reference to Ph. Eur. 2.2.24

01_SOP_00487
2018-07 Determination of the spectral transmission, remission, reflection, scattering, color value and solarization of solids, especially glasses and glass ceramics, plastics and liquids by optical spectroscopy

01_SOP_00488
2018-02 Determination of the refractive index and dispersion of glasses, glass ceramics, plastics and solids by prism coupler method

01_SOP_00490
2018-02 Determination of the spectral fluorescence properties, decay time and quantum yield of glasses, glass ceramics, solids and liquids by fluorescence spectroscopy

Anal. Chem. 2010, 82,
p. 2129-2133
2010-00 Recommendations for Fluorescence Instrument qualification: The new ASTM Standard Guide -
Paul de Rose, Ute Resch-Genger

4.2 Ellipsometric characterization of coatings and uncoated materials²⁾

DIN 50989-1
2018-03 Ellipsometry - Part 1: Principles
NEW in flexible scope

01_SOP_00538
2021-06 Ellipsometric characterization of coatings and uncoated materials
NEW in flexible scope

4.3 Stress measurements and stress-optical coefficient ²⁾

ISO 10345-2 1992-05	Glass - Determination of stress-optical coefficient - Part 2: Bending test
ISO 11455 1995-03	Raw optical glass - Determination of birefringence
ASTM C 1422/ C1422 M 20a 2020-00	Standard Specification for Chemically Strengthened Flat Glass
ASTM D 4093 1995-00	Test Method for Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials
01_SOP_00509 2018-02	Determination of mechanical tensions, birefringence and the stress-optical coefficient of transparent solids by polarization-optical measurement methods

5 Characterization of glasses, glass ceramics, ceramics, metals, plastics and composite materials in micro and surface area

5.1 by Scanning Electron Microscopy/Energy Dispersive X-ray spectroscopy (SEM/EDX)²⁾

ISO 22309 2011-10	Microbeam analysis – Quantitative analysis using energy-dispersive spectrometry (EDS) for elements with an atomic number of 11 (Na) or above
ASTM B 748 1990-00	Standard Test Method for Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope
ASTM E 1078 2014-00	Standard Guide for Specimen Preparation and Mounting in Surface Analysis
01_SOP_00491 2018-02	High-resolution morphological surface characterization on glasses, glass ceramics, ceramics, metals, solid and composite materials by SEM as well as qualitative and quantitative analysis of surface composition by EDX

5.2 by topographic methods (WLI, AFM)²⁾

ASTM E 2382 2004-00	Guide to Scanner and Tip Related Artifacts in Scanning Tunneling Microscopy and Atomic Force Microscopy
------------------------	--

01_SOP_00489 2018-04	Topographic determination on glasses, glass ceramics, ceramics, metals, plastics and composite materials by white-light interference microscopy
01_SOP_00537 2020-01	High-resolution determination of the surface topography of glasses, glass ceramics, ceramics, metals, plastics and composite materials and solids by atomic force microscopy
5.3 by Light Microscopy²⁾	
DIN EN ISO 643 2020-06	Steels - Micrographic determination of the apparent grain size
ASTM E 112 2013-00	Standard Test Methods for Determining Average Grain Size
01_SOP_00501 2018-02	Sample characterization of glasses, glass ceramics, ceramics, metals, plastics, composite and solid materials by light microscopy
5.4 by Time-of-Flight-Secondary Ion Mass Spectrometry (ToF-SIMS)²⁾	
ISO 13084 2018-11	Surface chemical analysis - Secondary-ion mass spectrometry - Calibration of the mass scale for a time-of-flight secondary-ion mass spectrometer
ISO 18116 2005-08	Surface chemical analysis - Guidelines for preparation and mounting of specimens for analysis
ASTM E 2695 2009-00	Standard Guide for Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy (withdrawn standard)
01_SOP_00493 2019-10	Qualitative analysis of the surface composition of glasses, glass ceramics, ceramics, metals, plastics, composite materials and solids by ToF-SIMS
5.5 by Vibrational Spectroscopy³⁾	
JIS K 0137 2010-05	General rules for Raman spectrometry

USP <1858>
2020-11

Raman Spectroscopy – Theory and Practice

NEW in flexible
scope

6 Strength tests on glases, glass ceramics, plastics and composites, Determination of material and product properties by pressure and tensile tests²⁾

ISO 14704 2016-04	Fine ceramics (advanced ceramics, advanced technical ceramics) - Test method for flexural strength of monolithic ceramics at room temperature	NEW in flexible scope
DIN EN ISO 7458 2004-05	Glass containers - Internal pressure resistance - Test methods	
DIN EN ISO 8113 2004-05	Glass containers - Resistance to vertical load - Test method	
DIN EN ISO 8510-2 2010-12	Adhesives - Peel test for a flexible-bonded-to-rigid test specimen assembly - Part 2: 180 degree peel	
DIN EN 843-1 2008-08	Advanced technical ceramics - Mechanical properties of monolithic ceramics at room temperature Part 1: Determination of flexural strength	
DIN EN 1288-3 2000-09	Glass in building - Determination of the bending strength of glass - Part 3: Test with specimen supported at two points (four point bending)	
DIN EN 1288-5 2000-09	Glass in building - Determination of the bending strength of glass - Part 5: Coaxial double ring test on flat specimens with small test surface areas	
ASTM D 6862 2011-00	Standard Test Method for 90 Degree Peel Resistance of Adhesives	
01_SOP_00495 2018-02	Determination of the strength of brittle materials, plastics and composite materials by tensile and pressure tests with universal testing machines	

7 Fracture analysis (fractography) on glasses, glass ceramics, ceramics and plastics by light microscopic methods²⁾

DIN EN 843-6 2009-12	Advanced technical ceramics - Mechanical properties of monolithic ceramics at room temperature - Part 6: Guidance for fractographic investigation;
ASTM C 1256 1993-00	Standard Practice for Interpreting Glass Fracture Surface Features
PDA-TR 43 2013-00	Technical Report No. 43 (Revised 2013) - Identification and Classification of Nonconformities in Molded and Tubular Glass Containers for Pharmaceutical Manufacturing: Covering Ampoules, Bottles, Cartridges, Syringes and Vials
01_SOP_00496 2018-02	Fractography / fracture analysis on brittle materials by light microscopy

8 Determination of the volume fractions of gaseous substances in inclusions of glasses, glass ceramics, oxide materials and stones by mass spectrometry and Raman spectroscopy

JIS K 0137 2010-05	General rules for Raman spectrometry
01_SOP_00497 2018-02	Determination of volume fractions of gaseous substances in inclusions of glasses, glass ceramics, oxide materials and stones by mass spectrometry
01_SOP_00504 2018-02	Determination of volume fractions of gaseous substances in inclusions of glasses, glass ceramics, oxide materials and stones by Raman spectroscopy

9 Analysis of pharmaceutical packaging and their components regarding extractable and leachable constituents, contaminations and corrosion products

9.1 Sample preparation and extraction procedures¹⁾

DIN EN ISO 10993-12 2012-10	Biologische Beurteilung von Medizinprodukten - Teil 12: Probenvorbereitung und Referenzmaterialien	NEW in flexible scope
USP <1660> 2013-12	Evaluation of the inner surface durability of glass containers	NEW in flexible scope

USP <1663>
2018-08 Assessment of Extractables Associated with
Pharmaceutical Packaging/Delivery Systems NEW in flexible
scope

USP <1664>
2015-08 Assessment of Drug Product Leachables Associated with
Pharmaceutical Packaging/Delivery Systems NEW in flexible
scope

9.2 by gas chromatography (GC-MS)²⁾

USP <621>
2017-08 Chromatography

PQRI
2006-09 Recommendation to FDA for E&L Testing for OINDP
Best practices for Extractables and Leachables in orally
inhaled and nasal drug products

01_SOP_00498
2018-02 Determination of plastic additives in and out of
pharmaceutical packaging materials using gas
chromatography - mass spectrometry

9.3 by Liquid Chromatography (LC-MS)²⁾

USP <621>
2017-08 Chromatography

PQRI
2006-09 Recommendation to FDA for E&L Testing for OINDP
Best practices for Extractables and Leachables in orally
inhaled and nasal drug products

01_SOP_00499
2018-02 Determination of leachable monomers from cured
adhesives using liquid chromatography - mass
spectrometry

01_SOP_00685 Liquid chromatography - mass spectrometry for the
analyses of extractable substances out of
pharmaceutical packaging material NEW in flexible
scope

9.4 by Inductively Coupled Plasma (ICP-OES)²⁾

ICH Q3D Guideline Guideline for Elemental Impurities
2019-03

USP <730>
2018-05 Plasma spectrochemistry

USP <233>
2018-05 Chemical Test and Assays: Elemental Impurities -
Procedures

USP <1660>
2013-12 Evaluation of the inner surface durability of glass
containers

01_SOP_00028
2020-10 Trace element analysis of aqueous extracts from glass,
glass ceramics and pharmaceutical packaging with ICP-
MS or ICP-OES

9.5 by Inductively Coupled Plasma and mass-selective detection (ICP-MS)²⁾

ICH Q3D Guideline Guideline for Elemental Impurities
2019-03

USP <730>
2018-05 Plasma spectrochemistry

USP <233>
2018-05 Chemical Test and Assays: Elemental Impurities -
Procedures

USP <1660>
2013-12 Evaluation of the inner surface durability of glass
containers

01_SOP_00028
2020-10 Trace element analysis of aqueous extracts from glass,
glass ceramics and pharmaceutical packaging with ICP-
MS or ICP-OES

9.6 by UV-VIS-Spectrophotometry³⁾

DIN EN ISO 8871-1 Elastomeric parts for parenterals and for devices for
Anhang C pharmaceutical use – Part 1: Extractables in aqueous
2004-11 autoclavates
(text in German and English)

9.7 by Infrared Spectroscopy (IR)³⁾

DIN EN ISO 8871-2 Elastomeric parts for parenterals and for devices for
Anhang A pharmaceutical use - Part 2: Identification and
2020-09 characterization
(text in German and English)

9.8 by Visual Inspection and Optical Microscopy¹⁾

DIN EN ISO 8871-3
Abschnitt 3
2019-08
Elastomeric parts for parenterals and for devices for pharmaceutical use - Part 3: Determination of released-particle count
(text German and English)

Ph. Eur. 2.9.20
2020-01
European Pharmacopoeia
2.9.20 Particulate contamination: Visible Particles

Ph. Eur. 3.2.9
2020-12
European Pharmacopoeia
3.2.9 Rubber closures for containers for aqueous parenteral preparations, for powders and for freeze-dried powders
Test: Absorbance, Reference to EP 2.2.25
Test A: Infrared absorption spectrometry, Reference to Ph. Eur. 2.2.24

PDA-TR 43
2013-00
Technical Report No. 43 (Revised 2013) Identification and Classification of Nonconformities in Molded and Tubular Glass Containers for Pharmaceutical Manufacturing: Covering Ampoules, Bottles, Cartridges, Syringes and Vials

USP <790>
2016-05
Visible particulates in injections

USP <1660>
2013-12
Evaluation of the inner surface durability of glass containers

9.9 by Scanning Electron Microscopy/Energy Dispersive X-ray spectroscopy (SEM/EDX)²⁾

ASTM F 1877
2016-00
Standard Practice for Characterization of Particles

USP <1660>
2013-12
Evaluation of the inner surface durability of glass containers

USP <1181>
2014-12
Scanning Electron Microscopy

01_SOP_00508
2018-02
Separation of particles from solution by filtration and analysis by SEM and EDS (qualitative analysis)

9.10 by Raman spectroscopy

9.10 by Raman Spectroscopy ³⁾

JIS K 0137 General rules for Raman spectrometry
2010-05

Laboratory location Hattenbergstraße 10, 55122 Mainz

1 Testing of thermal expansion (static, dynamic) of glasses, glass ceramics, ceramics, sinter materials, plastics and composites by inductive and optical methods for a temperature range of -50°C to +100°C ²⁾

DIN 51045-1 Determination of the thermal expansion of solids -
2005-08 Part 1: Basic rules

DIN ISO 7991 Glass; Determination of coefficient of mean linear
1998-02 thermal expansion

01_SOP_00470 Determination of the static and dynamic thermal
2021-05 expansion behaviour of solids by dilatometry and
thermomechanical analysis

2 Determination of optical properties (transmission and derived parameters, refractive index and dispersion) preferably on glasses by optical spectroscopy and optical refractography ²⁾

ISO 15368 Optics and optical instruments - Measurement of
2021-03 reflectance of plane surfaces and transmittance of plane
parallel elements

01_SOP_00487 Determination of the spectral transmission, remission,
2018-07 reflection, scattering, color value and solarization of
solids, especially glasses and glass ceramics, plastics and
liquids by optical spectroscopy

01_SOP_00510 Determination of the refractive index and dispersion of
2021-05 glasses with standard and/or precision accuracy by
optical refractography

3 Determination of the density of glasses, glass ceramics, ceramics and other materials ³⁾

ASTM C 693 Standard Test Method for Density of Glass by Buoyancy
1993-00 (Modification: Use of a surfactant additive)

Laboratory location 400 York Ave, Duryea/PA 18642 USA

1 Characterization of glasses, glass ceramics, ceramics, metals, plastics and composite materials in micro and surface area as well as fracture analysis (fractography)

1.1 by Scanning Electron Microscopy/ Energy Dispersive X-ray spectroscopy (SEM/EDX) ²⁾

ISO 22309
2011-10
Microbeam analysis – Quantitative analysis using energy-dispersive spectrometry (EDS) for elements with an atomic number of 11 (Na) or above

ASTM E 1078
2014-00
Standard Guide for Specimen Preparation and Mounting in Surface Analysis

01_SOP_00491
2018-02
High-resolution morphological surface characterization on glasses, glass ceramics, ceramics, metals, solid and composite materials by SEM as well as qualitative and quantitative analysis of surface composition by EDX

1.2 by Light Microscopy Methods²⁾

DIN EN 843-6
2009-12
Advanced technical ceramics - Mechanical properties of monolithic ceramics at room temperature - Part 6: Guidance for fractographic investigation;

ASTM C 1256
1993-00
Standard Practice for Interpreting Glass Fracture Surface Features

01_SOP_00496
2018-02
Fractography / fracture analysis on brittle materials by light microscopy

01_SOP_00501
2018-02
Sample characterization of glasses, glass ceramics, ceramics, metals, plastics, composite and solid materials by light microscopy

2 Analysis of pharmaceutical packaging and their components regarding contaminations and corrosion products

2.1 by Visual Inspection and Optical Microscopy ¹⁾

Ph. Eur. 2.9.20
2020-01
European Pharmacopoeia
2.9.20 Particulate contamination: Visible Particles

PDA-TR 43
2013-00
Technical Report No. 43 (Revised 2013) Identification and Classification of Nonconformities in Molded and Tubular Glass Containers for Pharmaceutical Manufacturing: Covering Ampoules, Bottles, Cartridges, Syringes and Vials

USP <790>
2016-05 Visible particulates in injections

USP <1660>
2013-12 Evaluation of the inner surface durability of glass containers

2.2 by Scanning Electron Microscopy/ Energy Dispersive X-ray spectroscopy (SEM/EDX)²⁾

ASTM F 1877
2016-00 Standard Practice for Characterization of Particles

USP <1181>
2014-12 Scanning Electron Microscopy

USP <1660>
2013-12 Evaluation of the inner surface durability of glass containers

01_SOP_00508
2018-02 Separation of particles from solution by filtration and analysis by SEM and EDS (qualitative analysis)

2.3 by Inductively Coupled Plasma (ICP-OES)⁴⁾

USP <730>
2018-05 Evaluation of the inner surface durability of glass containers

USP <1660>
2013-12 Evaluation of the inner surface durability of glass containers

3 Determination of the mass contents of elements in glasses, glass ceramics, ceramics and other anorganic materials, glass and ceramic raw materials

3.1 Sampe preparation, digestion methods (open digestions, melting digestion techniques)²⁾

01_SOP_00556
2019-05 Separation of particles from solution by filtration and analysis by SEM and EDS (qualitative analysis)

3.2 by Optical Emission Spectroscopy with Inductively Coupled Plasma (ICP-OES)³⁾

DIN 51068-2
2004-07 Testing of oxidic raw materials and materials for ceramics, glass and glazes - Part 2: Determination of Ag, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cu, Er, Eu, Fe, La, Mg, Mn, Mo, Nd, Ni, P, Pb, Pr, S, Sb, Se, Sn, Sr, Ti, V, W, Y, Yb, Zn, Zr by optical emission spectrometry with inductively coupled plasma (ICP-OES) (Modification: Determination of further elements)

Abbreviations Used:

AAW/SOP	Standard Operation Procedure, in-house method of the chemical and physical testing laboratories of SCHOTT AG, complements national and/ or international standards (ASTM, DIN, ISO, ...) AAW: language German SOP: language English
AFM	Atomic Force Microscopy
CV-AAS	Cold Vapour - Atomic Absorption Spectrometry
DSC	Difference Scanning Calorimetry
DTA	Difference thermal analysis
EDS, EDX	Energy Dispersive X-ray spectroscopy
EP	European Pharmacopoeia
FAAS	Flame Atomic Absorption Spectrometry
FDA	Food and Drug Administration
FID	Flame ionization detector
GC	Gas chromatography
GFAAS	Graphite Furnace Atomic Absorption Spectrometry
HG-AAS	Hydride Generation - Atomic Absorption Spectrometry
IC	Ion chromatography
ICG/TC 2	International Commission on Glass/ Technical Committee 2
ICP-AES	Inductively Coupled Plasma Optical Emission Spectrometry
ICP-MS	Inductively Coupled Plasma Mass Spectrometry
ICP-OES	Inductively Coupled Plasma Optical Emission Spectrometry
IR	Wavelength range of infrared light
KL	Cathode luminescence
LA-ICP-MS	Laser Ablation - Inductively Coupled Plasma - Mass Spectrometry
LC	Liquid chromatography
MS	Mass spectrometry
OINDP	Orally inhaled and nasal drug products
PDA	Photodiode array detector
PQRI	Product Quality Research Institute
RTCA	Radio Technical Commission for Aeronautics
SEM	Scanning Electron Microscopy
SCHOTT_...	In-house method of SCHOTT AG
TGHE	Carrier gas hot extraction
Tof-SIMS	Time of flight – Secondary Ion Mass Spectrometry
USP	United States Pharmacopoeia
UV	Ultra Violet = Wavelength range of ultra violet light
UV-VIS	Photometric method of the area „Chemical Analysis“
VGA	Combustion gas analysis
VIS	Visible = Wavelength of visible
YBB	Abbreviation of regulations of Chinese Pharmacopoeia
XRF	X-ray Fluorescence